

## Technical Data Sheet

### PF U-Peeler

For PE/PP pipes

63-315 mm

2-12" IPS

3-12" DIPS



### Scope of application

The U-Peeler is meant exclusively for the removal of the oxide layer on polyethylene (PE) pipes as preparation for electrofusion (EF). Additionally it is approved for usage on polypropylene (PP) and cross-linked polyethylene (PE-X) pipes.

The U-Peeler can universally be used to peel pipe ends (for welding fittings) and to peel spots on pipes (for welding saddles). The U-Peeler is monodimensional can only be used on one pipe dimension each.

## Scope of delivery for metric sizes

		U-Peeler									
		63 mm	75 mm	90 mm	110 mm	125 mm	140 mm	160 mm	180 mm	200 mm	225 mm
Code		4_4800_063	4_4800_075	4_4800_090	4_4800_110	4_4800_125	4_4800_140	4_4800_160	4_4800_180	4_4800_200	4_4800_225
Instruction manual	1 x	EN280									
Auxiliary handle	1 x	-									
Plastic suitcase	1 x	1_2800_065									

		U-Peeler		
		250 mm	280 mm	315 mm
Code		4_4800_250	4_4800_280	4_4800_315
Instruction manual	1 x	EN280		
Auxiliary handle	1 x	2_4800_003		
Plastic suitcase	1 x	1_2800_022		

## Scope of delivery for inch IPS sizes

		U-Peeler						
		2" IPS	3" IPS	4" IPS	6" IPS	8" IPS	10" IPS	12" IPS
<b>Code</b>		4_4800_060	4_4800_088	4_4800_114	4_4800_168	4_4800_219	4_4800_273	4_4800_323
<b>Instruction manual</b>	1 x	EN280						
<b>Auxiliary handle</b>	1 x	-					2_4800_003	
<b>Plastic suitcase</b>	1 x	1_2800_065					1_2800_022	

## Scope of delivery for inch DIPS sizes

		U-Peeler					
		3" DIPS	4" DIPS	6" DIPS	8" DIPS	10" DIPS	12" DIPS
<b>Code</b>		4_4800_100	4_4800_121	4_4800_175	4_4800_229	4_4800_281	4_4800_335
<b>Instruction manual</b>	1 x	EN280					
<b>Auxiliary handle</b>	1 x	-				2_4800_003	
<b>Plastic suitcase</b>	1 x	1_2800_065			1_2800_022		

## Technical data for metric size U-Peelers

		U-Peeler									
		63 mm	75 mm	90 mm	110 mm	125 mm	140 mm	160 mm	180 mm	200 mm	225 mm
Code		4_4800_063	4_4800_075	4_4800_090	4_4800_110	4_4800_125	4_4800_140	4_4800_160	4_4800_180	4_4800_200	4_4800_225
Suitable for pipes made of		PE, PE-HD, PE-X									
Peeling blade		RST2								CPT3	
Peeling depth	[mm]	0.2 (0.15 to 0.25)								0.3 (0.25 to 0.35)	
Product dimensions L×W×H	[mm]	210×100×90	230×100×100	240×100×105	260×100×115	280×100×125	250×100×135	310×100×150	330×100×160	350×100×170	370×100×180
Product weight	[kg]	0.7	0.8	0.8	0.9	0.9	0.9	1	1	1	1.4
Packaging dimensions L×W×H	[mm]	340x300x130									
Packaging material		Plastic									
Packaging type		Suitcase									
Packaging weight	[kg]	1									
Transport weight	[kg]	1.7	1.8	1.8	1.9	1.9	1.9	2	2	2	2.4

The given technical information is valid for the standard setup of the tool. Depending on the ordered setup there may be variations.

		U-Peeler		
		250 mm	280 mm	315 mm
Code		4_4800_250	4_4800_280	4_4800_315
Suitable for pipes made of		PE, PE-HD, PE-X		
Peeling blade		CPT3		
Peeling depth	[mm]	0.3 (0.25 to 0.35)		
Product dimensions L×W×H	[mm]	420×100×200	45×100×280	490×100×300
Product weight	[kg]	1.2	1.5	1.5
Packaging dimensions L×W×H	[mm]	450×360×150		
Packaging material		Plastic		
Packaging type		Suitcase		
Packaging weight	[kg]	1.5		
Transport weight	[kg]	2.7	3	3

The given technical information is valid for the standard setup of the tool. Depending on the ordered setup there may be variations.

## Technical data for inch IPS sized U-Peelers

		U-Peeler						
		2" IPS	3" IPS	4" IPS	6" IPS	8" IPS	10" IPS	12" IPS
<b>Code</b>		4_4800_060	4_4800_088	4_4800_114	4_4800_168	4_4800_219	4_4800_273	4_4800_323
<b>Suitable for pipes made of</b>		PE, PE-HD, PE-X						
<b>Peeling blade</b>		RST2				CPT3		
<b>Peeling depth</b>	[mm]	0.2 (0.15 to 0.25)				0.3 (0.25 to 0.35)		
<b>Product dimensions LxWxH</b>	[mm]	230×100×90	260×100×105	280×100×120	340×100×150	390×100×180	450×100×280	500×100×300
<b>Product weight</b>	[kg]	0.7	0.8	0.8	1	1.1	1.5	1.6
<b>Packaging dimensions LxWxH</b>	[mm]	340×300×130					450×360×150	
<b>Packaging material</b>		Plastic					Plastic	
<b>Packaging type</b>		Suitcase					Suitcase	
<b>Packaging weight</b>	[kg]	1					1.5	
<b>Transport weight</b>	[kg]	1.7	1.8	1.8	2	2.1	3	3.1

The given technical information is valid for the standard setup of the tool. Depending on the ordered setup there may be variations.

## Technical data for inch DIPS sized U-Peelers

		U-Peeler					
		3" DIPS	4" DIPS	6" DIPS	8" DIPS	10" DIPS	12" DIPS
<b>Code</b>		4_4800_100	4_4800_121	4_4800_175	4_4800_229	4_4800_281	4_4800_335
<b>Suitable for pipes made of</b>		PE, PE-HD, PE-X					
<b>Peeling blade</b>		RST2			CPT3		
<b>Peeling depth</b>	[mm]	0.2 (0.15 to 0.25)			0.3 (0.25 to 0.35)		
<b>Product dimensions L×W×H</b>	[mm]	270×100×115	290×100×125	340×100×160	400×100×190	450×100×280	510×100×310
<b>Product weight</b>	[kg]	0.8	0.9	1	1.1	1.5	1.6
<b>Packaging dimensions L×W×H</b>	[mm]	340×300×130			450×360×150		
<b>Packaging material</b>		Plastic			Plastic		
<b>Packaging type</b>		Suitcase			Suitcase		
<b>Packaging weight</b>	[kg]	1			1.5		
<b>Transport weight</b>	[kg]	1.8	1.9	2	2.6	3	3.1

The given technical information is valid for the standard setup of the tool. Depending on the ordered setup there may be variations.